# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.31

IF UNDELIVERED RETURN TO

# LOUISVILLE SEED COMPANY

INCORPORATED

### **EXCLUSIVELY WHOLESALE**

831 W. MAIN ST. - LOUISVILLE 2, KY.

Return Postage Guaranteed

Library
U. S. Dept. of Agriculture
Washington 25, D. C.

# PRICE LIST

Today's Most Important Mail

March 9, 1949

Sec. 562, P. L. & R.
U. S. POSTAGE

PAID

OUISVILLE 2, KY.
PERMIT No. 60

U. S. Department of Agriculture





Subject to	immediate	acceptance	and	market	change	wa	aunte	f o	h	Louisville	
Jubject to	immediate	acceptance	and	market	cnange	we	quote	т. о.	D.	FORIZALIS.	

Marc	h	9 '	1	949
IVIAIC		-		171

Subject to immedia	те ассер	tance and	d market change we quo	те т. о.	D. Louisv	March 9, 1949
RED CLOVER	PER 10 1 to 4 Bags	00 LBS 5 Bags or more	ORCHARD GRASS	PER 1 1 to 4 Bags	00 LBS 5 Bags or more	OATS  PER BUSHEL  1 to 4 5 Bags Bags or more
Gold Medal	\$51.00	\$50.00	Gold Medal		\$32.50	Winter \$ 1.70 \$ 1.65 Columbia \$ 1.35 \$ 1.30 White \$ 1.35 \$ 1.30
MAMMOTH CLOVER			RYE GRASS			
Gold Medal	51.00	50.00	Gold Medal	. 12.00	11.75	SOY BEANS         Yellow       3.35       3.25         Virginias       3.35       3.25         Blacks       3.25       3.15
ALSIKE CLOVER			LAWN GRASS			D100000 0000000000000000000000000000000
Gold Medal	39.00	38.00	Gold Medal in Bulk		60.00	GOLD MEDAL HYBRID SEED CORN
ALFALFA			Gold Medal in 1# Sacks. Shady Place in Bulk		<b>73.00</b>	Ky. 103       7.50       7.25         Ky. US 13       7.50       7.25         Ind. 750, Ky. grown       8.75       8.50         Iowa US 13       6.75       6.50
Gold Medal Kansas		SK	TALL FESCUE			Tenn. 10
SWEET CLOVER			Certified Ky. 31 Strain Alta Strain		70.00 45.00	OPEN POLLINATED SEED CORN Hickory King White 4.35 4.25
GM Hulled Standard GM Hulled Yellow		22.00 21.00	CANE SEED			Reid's Yellow Dent 4.10 4.00 Tenn. Red Cob 4.35 4.25
			Orange	5.50	5.25	The Original Legume Inoculator
WHITE DUTCH CLOV	/ER		Honey Drip		5.25	NOBBE-HILTNER PROCESS
Gold Medal	-	90.00	Red Top		5.25	Restores and Maintains Soil Fertility
LADINO CLOVER			CUDANCERACE			ALFALFA & SWEET CLOVER
Gold Medal	195.00	185.00	SUDAN GRASS  Regular Sweet		9.25 10.25	2½ Bu, Size "A"
KOREAN LESPEDEZA				10.70	10.2)	CLOVERS 2½ Bu. Size "B"
Gold Medal		8.50	MILLET			1 Bu. Size "B"
Gold Medal dodder free	10.00	9.50	Tenn.	8.50	8.25	LESPEDEZA 100 lb. Size "L"
TIMOTHY			PASTURE MIXTURE			
Gold Medal	21.50	21.00	Contains — Timothy, Re			VETCH 100 lb. Size "C"
RED TOP	£0.00	<b>67.00</b>	Clover, Orchard Grass Rye Grass	5,	15.50	SOYBEANS  2 Bu. Size "S"
Gold Medal	78.00	57.00	MISCELLANEOUS			2 Bu. Size "S"
KY. BLUE GRASS			Dwarf Essex Rape	15.00	14.50	WHEN ORDERING STATE KIND OF
Gold Medal	57.00	56.00	Buckwheat		6.25	SEED TO BE INOCULATED.

### STATE TAX TAGS OR STAMPS INVOICED AT COST

DISCLAIMER—The Louisville Seed Company gives no warranty, expressed or implied as to description, quality or any other matter of any seed it sells and will not be responsible for the crop.

# Louisville Seed Company

EXCLUSIVELY WHOLESALE . . . LOUISVILLE 2, KENTUCKY

### TACK UP FOR FUTURE REFERENCE

# **GOLD MEDAL FIELD SEEDS**

# The Sure Growing Kind

## "He Reaps Most Who Sows Best"

Lbs. Per Bu.         Lbs. Per Acre           47 Barley         .75—100           60 Beans, Soy, drills         .30— 40           60 Beans, Soy, broadcast         .60— 80           14 Bluegrass, Kentucky         .21— 28           48 Buckwheat         .50— 75           50 Cane, Drill         .10— 15           50 Cane, broadcast         .50— 75           60 Clover, Alfalfa, drills         .15— 20           60 Clover, Alfalfa, broadcast         .18— 22           60 Clover, Alsike (alone for forage)         .8— 15           60 Clover, Alsike (on wheat or rye in spring)         .4— 6           60 Clover, Alsike (on wheat or rye in spring)         .4— 6           60 Clover, Japan (Lespedeza)         .15— 25           60 Clover, Sapling (Mammoth)         .10— 15           60 Clover, Red (alone for forage)         .10— 15           60 Clover, Sweet (hulled)         .10— 15           60 Clover, Sweet (hulled)         .10— 15           60 Clover, Sweet (hulled)         .20— 30           60 Clover, White         .10— 20           56 Corn         .6— 12           56 Corn         .6— 12           50 Millet, All Varieties (for seed)         .25— 40           50 Millet, All Varieties (for hay)         .40—	LEG	AL WEIGHTS OF SEED AND GRAIN ALSO QUANTITY	PER	ACRE
60       Beans, Soy, broadcast       30—40         60       Beans, Soy, broadcast       60—80         14       Bluegrass, Kentucky       21—28         48       Buckwheat       50—75         50       Cane, Drill       10—15         50       Cane, broadcast       50—75         60       Clover, Alfalfa, drills       15—20         60       Clover, Alfalfa, broadcast       18—22         60       Clover, Alsike (alone for forage)       8—15         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Japan (Lespedeza)       15—25         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       20—30         60       Clover, White       10—15         31       Clover, Sweet (unhulled)       20—30         40       Clover, White       10—20         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)	Lbs.			
60       Beans, Soy, broadcast       60—80         14       Bluegrass, Kentucky       21—28         48       Buckwheat       50—75         50       Cane, Drill       10—15         50       Cane, broadcast       50—75         60       Clover, Alfalfa, drills       15—20         60       Clover, Alfalfa, broadcast       18—22         60       Clover, Alsike (alone for forage)       8—15         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Crimson       12—15         25       Clover, Japan (Lespedeza)       15—25         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       10—15         31       Clover, White       10—20         32       Clover, White       10—20         33       Clover, White       10—20         34       Corn (for Silage)       40—56         35       Millet, All Varieties (for seed)       25—40         36       Millet, All Varieties (for hay)       40—50	47			
14       Bluegrass, Kentucky       21—28         48       Buckwheat       50—75         50       Cane, Drill       10—15         50       Cane, broadcast       50—75         60       Clover, Alfalfa, drills       15—20         60       Clover, Alfalfa, broadcast       18—22         60       Clover, Alsike (alone for forage)       8—15         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Alsike (alone for forage)       10—15         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       10—15         31       Clover, Sweet (unbulled)       20—30         60       Clover, White       10—20         60       Clover, White       10—20         60       Clover, White       10—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for seed) <td>60</td> <td>Beans, Soy, drills</td> <td>30-</td> <td>- 40</td>	60	Beans, Soy, drills	30-	- 40
14       Bluegrass, Kentucky       21—28         48       Buckwheat       50—75         50       Cane, Drill       10—15         50       Cane, broadcast       50—75         60       Clover, Alfalfa, drills       15—20         60       Clover, Alfalfa, broadcast       18—22         60       Clover, Alsike (alone for forage)       8—15         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Alsike (alone for forage)       10—15         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       10—15         31       Clover, Sweet (unbulled)       20—30         60       Clover, White       10—20         60       Clover, White       10—20         60       Clover, White       10—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for seed) <td>60</td> <td>Beans, Soy, broadcast</td> <td>60-</td> <td>- 80</td>	60	Beans, Soy, broadcast	60-	- 80
50         Cane, Drill         10—15           50         Cane, broadcast         50—75           60         Clover, Alfalfa, drills         15—20           60         Clover, Alfalfa, broadcast         18—22           60         Clover, Alsike (alone for forage)         8—15           60         Clover, Alsike (on wheat or rye in spring)         4—6           60         Clover, Crimson         12—15           25         Clover, Japan (Lespedeza)         15—25           60         Clover, Sapling (Mammoth)         10—15           60         Clover, Red (alone for forage)         10—15           60         Clover, Red (on small grain in spring)         7—12           60         Clover, Red (on small grain in spring)         7—12           60         Clover, Sweet (hulled)         10—15           31         Clover, Sweet (unhulled)         20—30           40         Clover, White         10—20           50         Corn (for Silage)         40—56           50         Millet, All Varieties (for seed)         25—40           50         Millet, All Varieties (for hay)         40—50           32         Oats         50—65           14         Orchard Grass	14	Bluegrass, Kentucky	21-	- 28
50       Cane, broadcast       50—75         60       Clover, Alfalfa, drills       15—20         60       Clover, Alfalfa, broadcast       18—22         60       Clover, Alsike (alone for forage)       8—15         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Crimson       12—15         25       Clover, Japan (Lespedeza)       15—25         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       10—15         33       Clover, Sweet (unhulled)       20—30         60       Clover, White       10—20         50       Corn       6—12         60       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (broadcast)       75—90 </td <td>48</td> <td></td> <td></td> <td></td>	48			
60       Clover, Alfalfa, drills       15— 20         60       Clover, Alfalfa, broadcast       18— 22         60       Clover, Alsike (alone for forage)       8— 15         60       Clover, Alsike (on wheat or rye in spring)       4— 6         60       Clover, Crimson       12— 15         25       Clover, Japan (Lespedeza)       15— 25         60       Clover, Sapling (Mammoth)       10— 15         60       Clover, Red (alone for forage)       10— 15         60       Clover, Red (on small grain in spring)       7— 12         60       Clover, Sweet (hulled)       10— 15         33       Clover, Sweet (unhulled)       20— 30         60       Clover, White       10— 20         56       Corn       6— 12         56       Corn (for Silage)       40— 56         50       Millet, All Varieties (for seed)       25— 40         50       Millet, All Varieties (for seed)       25— 40         50       Millet, All Varieties (for hay)       40— 50         32       Oats       50— 65         14       Orchard Grass       20— 30         60       Peas, Cowpeas (broadcast)       75— 90         8       Rape (broadcast)       <	50			
60       Clover, Alfalfa, broadcast       18—22         60       Clover, Alsike (alone for forage)       8—15         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Crimson       12—15         25       Clover, Japan (Lespedeza)       15—25         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       10—15         33       Clover, Sweet (unhulled)       20—30         60       Clover, White       10—20         56       Corn       6—12         56       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         50       Rape (drill)       4         8       10         14       Red Top Fancy	50			
60       Clover, Alsike (alone for forage)       8—15         60       Clover, Alsike (on wheat or rye in spring)       4—6         60       Clover, Crimson       12—15         25       Clover, Japan (Lespedeza)       15—25         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       20—30         60       Clover, Sweet (unhulled)       20—30         60       Clover, White       10—20         56       Corn       6—12         56       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         50       Rape (drill)       4         8       10         14       Red Top Fancy	60	Clover, Alfalfa, drills	15-	- 20
60       Clover, Crimson       12—15         25       Clover, Japan (Lespedeza)       15—25         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       10—15         33       Clover, Sweet (unhulled)       20—30         60       Clover, White       10—20         56       Corn       6—12         56       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         8       Rape (drill)       4—8         50       Rape (broadcast)       8—10         14       Red Top Fancy       7—12         14       Red Top (unhulled)       10—15         56       Sudan Grass       15—25         45       Timothy       10—15 </td <td>-</td> <td></td> <td></td> <td></td>	-			
60       Clover, Crimson       12—15         25       Clover, Japan (Lespedeza)       15—25         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       20—30         60       Clover, Sweet (unhulled)       20—30         60       Clover, White       10—20         56       Corn       6—12         56       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         Rape (drill)       4       8         50       Rape (broadcast)       8—10         14       Red Top Fancy       7—12         14       Red Top (unhulled)       10—15         56       Sudan Grass	60	Clover, Alsike (alone for forage)	8-	- 15
60       Clover, Crimson       12—15         25       Clover, Japan (Lespedeza)       15—25         60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       20—30         60       Clover, Sweet (unhulled)       20—30         60       Clover, White       10—20         56       Corn       6—12         56       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         Rape (drill)       4       8         50       Rape (broadcast)       8—10         14       Red Top Fancy       7—12         14       Red Top (unhulled)       10—15         56       Sudan Grass	60	Clover, Alsike (on wheat or rye in spring)	4	- 6
60       Clover, Sapling (Mammoth)       10—15         60       Clover, Red (alone for forage)       10—15         60       Clover, Red (on small grain in spring)       7—12         60       Clover, Sweet (hulled)       20—30         60       Clover, White       10—20         56       Corn       6—12         56       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         50       Rape (drill)       4—8         50       Rape (broadcast)       8—10         14       Red Top Fancy       7—12         14       Red Top (unhulled)       10—15         56       Rye       56—112         25       Sudan Grass       15—25         45       Timothy       10—15         45       Timothy and Alsike       8—10         Vetch, Hairy (drills)       35—50         Vetch, Hairy (br	60	Clover, Crimson	12	- 15
60       Clover, Red (alone for forage)       10— 15         60       Clover, Red (on small grain in spring)       7— 12         60       Clover, Sweet (hulled)       10— 15         33       Clover, Sweet (unhulled)       20— 30         60       Clover, White       10— 20         56       Corn       6— 12         56       Corn (for Silage)       40— 56         50       Millet, All Varieties (for seed)       25— 40         50       Millet, All Varieties (for hay)       40— 50         32       Oats       50— 65         14       Orchard Grass       20— 30         60       Peas, Cowpeas (drills)       45— 60         60       Peas, Cowpeas (broadcast)       75— 90         50       Rape (drill)       4— 8         50       Rape (broadcast)       8— 10         14       Red Top Fancy       7— 12         14       Red Top (unhulled)       10— 15         56       Rye       56—112         25       Sudan Grass       15— 25         45       Timothy       10— 15         45       Timothy and Alsike       8— 10         Vetch, Hairy (drills)       35— 50	25			
60         Clover, Red (on small grain in spring)         7— 12           60         Clover, Sweet (hulled)         10— 15           33         Clover, Sweet (unhulled)         20— 30           60         Clover, White         10— 20           56         Corn         6— 12           56         Corn (for Silage)         40— 56           50         Millet, All Varieties (for seed)         25— 40           50         Millet, All Varieties (for hay)         40— 50           32         Oats         50— 65           14         Orchard Grass         20— 30           60         Peas, Cowpeas (drills)         45— 60           60         Peas, Cowpeas (broadcast)         75— 90           50         Rape (drill)         4— 8           50         Rape (broadcast)         8— 10           14         Red Top Fancy         7— 12           14         Red Top (unhulled)         10— 15           56         Rye         56—112           25         Sudan Grass         15— 25           45         Timothy         10— 15           45         Timothy and Alsike         8— 10           Vetch, Hairy (drills)         35— 50 <t< td=""><td></td><td></td><td></td><td></td></t<>				
60       Clover, Sweet (hulled)       10—15         33       Clover, Sweet (unhulled)       20—30         60       Clover, White       10—20         56       Corn       6—12         56       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         50       Rape (drill)       4—8         50       Rape (broadcast)       8—10         14       Red Top Fancy       7—12         14       Red Top (unhulled)       10—15         56       Rye       56—112         25       Sudan Grass       15—25         45       Timothy       10—15         45       Timothy and Alsike       8—10         Vetch, Hairy (drills)       35—50         Vetch, Hairy (broadcast)       50—75				
33         Clover, Sweet (unhulled)         20—30           60         Clover, White         10—20           56         Corn         6—12           56         Corn (for Silage)         40—56           50         Millet, All Varieties (for seed)         25—40           50         Millet, All Varieties (for hay)         40—50           32         Oats         50—65           14         Orchard Grass         20—30           60         Peas, Cowpeas (drills)         45—60           60         Peas, Cowpeas (broadcast)         75—90           50         Rape (drill)         4—8           50         Rape (broadcast)         8—10           14         Red Top Fancy         7—12           14         Red Top (unhulled)         10—15           56         Rye         56—112           25         Sudan Grass         15—25           45         Timothy         10—15           45         Timothy and Alsike         8—10           Vetch, Hairy (drills)         35—50           Vetch, Hairy (broadcast)         50—75				
56       Corn       6—12         56       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         50       Rape (drill)       4—8         50       Rape (broadcast)       8—10         14       Red Top Fancy       7—12         14       Red Top (unhulled)       10—15         56       Rye       56—112         25       Sudan Grass       15—25         45       Timothy       10—15         45       Timothy and Alsike       8—10         Vetch, Hairy (drills)       35—50         O Vetch, Hairy (broadcast)       50—75		Clover, Sweet (hulled)	10-	- 15
56       Corn       6—12         56       Corn (for Silage)       40—56         50       Millet, All Varieties (for seed)       25—40         50       Millet, All Varieties (for hay)       40—50         32       Oats       50—65         14       Orchard Grass       20—30         60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         50       Rape (drill)       4—8         50       Rape (broadcast)       8—10         14       Red Top Fancy       7—12         14       Red Top (unhulled)       10—15         56       Rye       56—112         25       Sudan Grass       15—25         45       Timothy       10—15         45       Timothy and Alsike       8—10         Vetch, Hairy (drills)       35—50         O Vetch, Hairy (broadcast)       50—75		Clover, Sweet (unhulled)	20	- 30
56       Corn (for Silage)       40— 56         50       Millet, All Varieties (for seed)       25— 40         50       Millet, All Varieties (for hay)       40— 50         32       Oats       50— 65         14       Orchard Grass       20— 30         60       Peas, Cowpeas (drills)       45— 60         60       Peas, Cowpeas (broadcast)       75— 90         50       Rape (drill)       4— 8         8       Rape (broadcast)       8— 10         14       Red Top Fancy       7— 12         14       Red Top (unhulled)       10— 15         56       Rye       56—112         25       Sudan Grass       15— 25         45       Timothy       10— 15         45       Timothy and Alsike       8— 10         60       Vetch, Hairy (drills)       35— 50         60       Vetch, Hairy (broadcast)       50— 75	1000	Clover, White	1()	- 20
50       Millet, All Varieties (for seed)       25— 40         50       Millet, All Varieties (for hay)       40— 50         32       Oats       50— 65         14       Orchard Grass       20— 30         60       Peas, Cowpeas (drills)       45— 60         60       Peas, Cowpeas (broadcast)       75— 90         50       Rape (drill)       4— 8         8       10         14       Red Top Fancy       7— 12         14       Red Top (unhulled)       10— 15         56       Rye       56—112         25       Sudan Grass       15— 25         45       Timothy       10— 15         45       Timothy and Alsike       8— 10         60       Vetch, Hairy (drills)       35— 50         60       Vetch, Hairy (broadcast)       50— 75				
50       Millet, All Varieties (for hay)       40— 50         32       Oats       50— 65         14       Orchard Grass       20— 30         60       Peas, Cowpeas (drills)       45— 60         60       Peas, Cowpeas (broadcast)       75— 90         50       Rape (drill)       4       8         50       Rape (broadcast)       8— 10         14       Red Top Fancy       7— 12         14       Red Top (unhulled)       10— 15         56       Rye       56—112         25       Sudan Grass       15— 25         45       Timothy       10— 15         45       Timothy and Alsike       8— 10         60       Vetch, Hairy (drills)       35— 50         60       Vetch, Hairy (broadcast)       50— 75				
32     Oats     50—65       14     Orchard Grass     20—30       60     Peas, Cowpeas (drills)     45—60       60     Peas, Cowpeas (broadcast)     75—90       50     Rape (drill)     4—8       50     Rape (broadcast)     8—10       14     Red Top Fancy     7—12       14     Red Top (unhulled)     10—15       56     Rye     56—112       25     Sudan Grass     15—25       45     Timothy     10—15       45     Timothy and Alsike     8—10       60     Vetch, Hairy (drills)     35—50       60     Vetch, Hairy (broadcast)     50—75				
14 Orchard Grass       20— 30         60 Peas, Cowpeas (drills)       45— 60         60 Peas, Cowpeas (broadcast)       75— 90         50 Rape (drill)       4— 8         50 Rape (broadcast)       8— 10         14 Red Top Fancy       7— 12         14 Red Top (unhulled)       10— 15         56 Rye       56—112         25 Sudan Grass       15— 25         45 Timothy       10— 15         45 Timothy and Alsike       8— 10         60 Vetch, Hairy (drills)       35— 50         60 Vetch, Hairy (broadcast)       50— 75				
60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         50       Rape (drill)       4—8         50       Rape (broadcast)       8—10         14       Red Top Fancy       7—12         14       Red Top (unhulled)       10—15         56       Rye       56—112         25       Sudan Grass       15—25         45       Timothy       10—15         45       Timothy and Alsike       8—10         60       Vetch, Hairy (drills)       35—50         60       Vetch, Hairy (broadcast)       50—75		Oats	50-	- 65
60       Peas, Cowpeas (drills)       45—60         60       Peas, Cowpeas (broadcast)       75—90         50       Rape (drill)       4—8         50       Rape (broadcast)       8—10         14       Red Top Fancy       7—12         14       Red Top (unhulled)       10—15         56       Rye       56—112         25       Sudan Grass       15—25         45       Timothy       10—15         45       Timothy and Alsike       8—10         60       Vetch, Hairy (drills)       35—50         60       Vetch, Hairy (broadcast)       50—75	-	Orchard Grass	20	- 30
50       Rape (drill)       4       8         50       Rape (broadcast)       8       10         14       Red Top Fancy       7       12         14       Red Top (unhulled)       10       15         56       Rye       56       112         25       Sudan Grass       15       25         45       Timothy       10       15         45       Timothy and Alsike       8       10         60       Vetch, Hairy (drills)       35       50         60       Vetch, Hairy (broadcast)       50       75		Peas, Cowpeas (drills)	45	- 60
50       Rape (broadcast)       8— 10         14       Red Top Fancy       7— 12         14       Red Top (unhulled)       10— 15         56       Rye       56—112         25       Sudan Grass       15— 25         45       Timothy       10— 15         45       Timothy and Alsike       8— 10         60       Vetch, Hairy (drills)       35— 50         60       Vetch, Hairy (broadcast)       50— 75		Peas, Cowpeas (broadcast)	75—	- 90
14       Red Top Fancy       7— 12         14       Red Top (unhulled)       10— 15         56       Rye       56—112         25       Sudan Grass       15— 25         45       Timothy       10— 15         45       Timothy and Alsike       8— 10         60       Vetch, Hairy (drills)       35— 50         60       Vetch, Hairy (broadcast)       50— 75	10000			
14       Red Top (unhulled)       10— 15         56       Rye       56—112         25       Sudan Grass       15— 25         45       Timothy       10— 15         45       Timothy and Alsike       8— 10         60       Vetch, Hairy (drills)       35— 50         60       Vetch, Hairy (broadcast)       50— 75				
56     Rye     56—112       25     Sudan Grass     15—25       45     Timothy     10—15       45     Timothy and Alsike     8—10       60     Vetch, Hairy (drills)     35—50       60     Vetch, Hairy (broadcast)     50—75		Red Top Fancy	7	- 12
25       Sudan Grass       15—25         45       Timothy       10—15         45       Timothy and Alsike       8—10         60       Vetch, Hairy (drills)       35—50         60       Vetch, Hairy (broadcast)       50—75				
25       Sudan Grass       15—25         45       Timothy       10—15         45       Timothy and Alsike       8—10         60       Vetch, Hairy (drills)       35—50         60       Vetch, Hairy (broadcast)       50—75		Rye	56—	-112
45       Timothy and Alsike       8— 10         60       Vetch, Hairy (drills)       35— 50         60       Vetch, Hairy (broadcast)       50— 75		Sudan Grass	15—	- 25
60 Vetch, Hairy (drills)		Timothy	10-	- 15
60 Vetch, Hairy (broadcast) 50—75		Timothy and Alsike	8—	- 10
60 Vetch, Hairy (broadcast) 50—75 60 Wheat 90—120		Vetch, Hairy (drills)	35—	- 50
60 Wheat		Vetch, Hairy (broadcast)	50	- 75
	60	Wheat	90	-120

# Louisville Seed Company

831 West Main Street

LOUISVILLE 2, KENTUCKY

# WRITE WIRE PHONE

FOR FIRM DELIVERED PRICES ON

STRAIGHT OR MIXED TRUCK LOADS

